

Capatect AmphiSilan

Fassadenputz FEIN



Technical data

Specific use(s)	Water-borne coatings
Density	1,80 g/cm ³
Consumption	1,5 - 1,8 kg/m ²
Gloss level	Matt (in accordance with DIN EN 13300)

Components

Product Code/GISCODE	M-DF02; BSW50
Declaration of ingredients	Silicone resin plaster, aqueous , with film protection
Preservation agents	contained
VOC content in accordance with Directive 2004/42/EC	< 2 %
VOC content LEED [less water]	< 20 g/l
Water-dilutable in accordance with 2004/42/EC (Decopaint)	< 30 g/l
Film protection	yes
Lead, cadmium, chromium VI *	contained (agent corresponds to 528/2012/EG)
(* not contained in the formulation)	not contained

Environmental labels

Building certifications - DGNB

Suitable according to DGNB criteria ENV1.2 (System version 2018 and 2015)

No.	Application site	Product Type	Considered substances / aspects	QS 1	QS 2	QS 3	QS 4
5	Coating materials for exterior mineral surfaces such as concrete, masonry, mineral mortar and filler, plaster, ETICS, wallpaper (façade wallpaper), plasterboard, etc.	Currently, just decorative paints and dispersion insulation adhesive are taken into account	VOC	Yes	Yes	Yes	Yes
31	Products with film preservation and good treated with biocides	Exterior plasters, façade coatings, floor coverings made of wool/natural fibres, wood glazes with film preservation	Biocides (product type 7 and 9 in accordance with 528/2012/EC: Preservatives for construction materials) e.g. algicides, fungicides, moth repellents	Yes	Yes	Yes	Yes

Building certifications - LEED

LEED v.4 (EQ CREDIT: Low emitting materials) LEED 2009 (IEQ4.1/ IEQ4.2/ IEQ4.3)	Façade product (no requirements) fulfilled
Product category	flat topcoat
VOC limit	50 g/l
Limit fulfilled	yes
Recycling share	not contained
Production site	DAW SE- Ober-Ramstadt Roßdörfer Straße 50 DE-64372 Ober-Ramstadt

Building certifications - Assessment System NaWoh

Sustainability Data Sheet Print Date: 29.06.2023 Revision Date: 27.08.2021

This data sheet has been compiled based on state-of-the-art technology and our experience. However, in light of the wide range of requirements regarding buildings certifications, the buyer/user remains personally responsible for checking that our assessment is suitable for the intended certification system and its respective requirements. This data sheet is only valid in its latest version and in combination with the current Technical Information and the Material Safety Data Sheet. Please refer to our website to check the up-to-dateness of this version, if necessary.